

(12) United States Design Patent (10) Patent No.: US D805,416 S (45) Date of Patent: ** *Dec. 19, 2017

Rymer et al.

(54) WAVE-SHAPED ROADWAY RUMBLE STRIP

Applicant: State of California, Department of Transportation, Sacramento, CA (US)

Inventors: Bruce C. Rymer, Sacramento, CA

(US); Paul R. Donavan, Petaluma, CA

Notice: This patent is subject to a terminal dis-

15 Years Term:

Appl. No.: 29/544,678

(22) Filed: Nov. 5, 2015

Related U.S. Application Data

Continuation-in-part of application No. 29/541,381, filed on Oct. 2, 2015.

LOC (10) Cl. 10-05 (51)

U.S. Cl. USPC **D10/113.1**

Field of Classification Search

USPC D10/113.1, 113.3 (Continued)

(56)**References Cited**

U.S. PATENT DOCUMENTS

5,327,850 A	*	7/1994	Sly	E01F 9/553
5,392,728 A	*	2/1995	Speer	116/6 P E01F 9/553 116/63 R

(Continued)

Primary Examiner — George D Kirschbaum

(74) Attorney, Agent, or Firm — Craig H. Simmermon

CLAIM

The ornamental design for wave-shaped roadway rumble strip, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a wave-shaped roadway rumble strip showing my new design

FIG. 2 is a top plan view thereof.

FIG. 3 is a longitudinal cross sectional view taken along the

lines 3-3 in FIG. 2 thereof.

FIG. 4 is a lateral cross sectional view taken along the lines

4-4 in FIG. 2 thereof.

FIG. 5 is an enlarged view thereof.

FIG. 6 is another top perspective view thereof.

FIG. 7 is another top plan view thereof.

FIG. 8 is a top perspective view of a second embodiment of

my design.

FIG. 9 is a top plan view thereof.

FIG. 10 is a longitudinal cross-sectional view taken along

the lines 10-10 in FIG. 9 thereof.

FIG. 11 is a lateral cross sectional view taken along the lines

11-11 in FIG. 9 thereof.

FIG. 12 is an enlarged view thereof.

FIG. 13 is another top perspective view thereof.

FIG. 14 is another top plan view thereof.

FIG. 15 is a top perspective view of a third embodiment of

my design.

FIG. 16 is a top plan view thereof,

FIG. 17 is a longitudinal cross sectional view taken along the

lines 17-17 in FIG. 16 thereof,

FIG. 18 is a longitudinal cross sectional view taken along the

lines 18-18 In FIG. 16 thereof,

FIG. 19 is an enlarged view thereof.

FIG. 20 is a partial top perspective view thereof.

FIG. 21 is another top plan view thereof.

FIG. 22 is top perspective view of a fourth embodiment of

my design.

FIG. 23 is a top plan view thereof,

FIG. 24 is a longitudinal cross sectional view taken along the

lines 24-24 in FIG. 23 thereof.

FIG. 25 is a longitudinal cross sectional view taken along the

lines 25-25 in FIG. 23 thereof,

FIG. 26 is an enlarged view thereof.

FIG. 27 is a partial top perspective view thereof.

FIG. 28 is another top plan view thereof,

FIG. 29 is top perspective view of a fourth embodiment of


my design,

FIG. 30 is a top plan view thereof,

FIG. 31 is a longitudinal cross sectional view taken along the

lines 31-31 in FIG. 30 thereof.

(Continued)



US D805,416 S

Page 2

FIG. 32 is a longitudinal cross sectional view taken along the

lines 32-32 in FIG. 30 thereof.

FIG. 33 is an enlarged view thereof.

FIG. 34 is a partial top perspective view thereof.

FIG. 35 is another top plan view thereof.

FIG. 36 is top perspective view of a fifth embodiment of my design.

FIG. 37 is a top plan view thereof.

FIG. 38 is a longitudinal cross sectional view taken along the lines 38-38 in FIG. 37 thereof,

FIG. 39 is a longitudinal cross sectional view taken along the

lines 39-39 in FIG. 37 thereof,

FIG. 40 is an enlarged view thereof.

FIG. 41 is a partial top perspective view thereof.

FIG. 42 is another top plan view thereof.

FIG. 43 is top perspective view of a sixth embodiment of my design.

FIG. 44 is a top plan view thereof,

FIG. 45 is a longitudinal cross sectional view taken along the lines 45-45 in FIG. 44 thereof,

FIG. 46 is a longitudinal cross sectional view taken along the

lines 46-46 in FIG. 44 thereof.

FIG. 47 is an enlarged view thereof.

FIG. 48 is a partial top perspective view thereof.

FIG. 49 is another top plan view thereof.

FIG. **50** is top perspective view of a seventh embodiment of my design.

FIG. 51 is a top plan view thereof,

FIG. 52 is a longitudinal cross sectional view taken along the lines 52-52 in FIG. 51 thereof,

FIG. 53 is a longitudinal cross sectional view taken along the

lines 53-53 in FIG. 51 thereof,

FIG. 54 is an enlarged view thereof.

FIG. 55 is a partial top perspective view thereof.

FIG. 56 is another top plan view thereof.

FIG. 57 is top perspective view of an eighth embodiment of my design.

FIG. 58 is a top plan view thereof.

FIG. **59** is a longitudinal cross sectional view taken along the lines **59-59** in FIG. **58** thereof.

FIG. 60 is a longitudinal cross sectional view taken along the lines 60-60 in FIG. 58 thereof.

FIG. 61 is an enlarged view thereof.

FIG. 62 is a partial top perspective view thereof; and,

FIG. 63 is another top plan view thereof.

Broken lines in the drawings represent unclaimed environmental subject matter and form no part of the claimed design.

1 Claim, 54 Drawing Sheets

(58) Field of Classification Search

CPC E01F 9/553; E01F 9/512; E01F 9/529; G01M 17/06; E01C 5/08


See application file for complete search history.


(56) References Cited

U.S. PATENT DOCUMENTS

5,769,563 A *	6/1998	Flynn E01F 9/512
7,118,305 B1*	10/2006	116/63 P Corbett E01F 13/12
7.302.825 B2*	12/2007	404/6 Knox G01M 17/06
, ,		73/11.04 Swamidass E01F 9/529
, ,		404/12
7,731,448 B2*	6/2010	Fillie E01F 9/529 404/15
7,736,087 B1*	6/2010	Mettler E01F 9/529
7,950,276 B1*	5/2011	Freyhof E010 5/08
		/3/140


^{*} cited by examiner







































U.S. Patent Dec. 19, 2017


Sheet 13 of 54


US D805,416 S


























































U.S. Patent Dec. 19, 2017

Sheet 31 of 54


US D805,416 S






















五G. 42



















U.S. Patent

Dec. 19, 2017


Sheet 43 of 54


US D805,416 S

















Sheet 49 of 54

US D805,416 S

